



# LIGHTING

## Glass Ware

# ERIE SALES

AND

# MANUFACTURING COMPANY

Greensburg

U.S.A.

Pa.





Digitized by the Internet Archive  
in 2020 with funding from  
Columbia University Libraries

[https://archive.org/details/illuminatingglas00erie\\_0](https://archive.org/details/illuminatingglas00erie_0)



# ... Erie Sales and Manufacturing Company ...

GREENSBURG, PENNSYLVANIA

---

CATALOGUE No. 8

## Illuminating Glassware



The wide range of styles and decorations illustrated in this catalogue represents the "TOPS" in ILLUMINATING GLASSWARE for both domestic and commercial use. On the pages which follow are to be found units suitable for the kitchen, foyer, bathroom, store, school, church, hospital and other public buildings.

It is with pride that we present for your consideration, our line of ILLUMINATING GLASSWARE which includes:

Plain Opal or Ivory  
Opal or Ivory Decorated  
Crystal Top with Enamel Bottom  
Crystal Bottom with Enamel Top  
Crystal Center and Bottom

QUALITY    :-    EFFICIENCY    :-    SALES APPEAL



### INFORMATION FOR ORDERING


- Prices:** For LIST PRICES turn to Pages 35 and 36.
- Terms:** Payments must be made in accordance with terms as shown on price lists.
- Claims:** Claims for damaged or lost merchandise should be made with the carrier. Our responsibility ceases after shipment is delivered to the transportation company in good order.
- Returned Goods:** Merchandise returned to us without our Permission will not be accepted.
-




# Commercial and Residential Decorated Glassware



No. 9012-735



No. 9014-735



No. 9016-735


No. 9012-735 BLACK DECORATION				
Diam	Fitter	Depth	Std. Pkg.	Weight Per Carton
12"	6"	10½"	1	7 lbs.

No. 9014-735 BLACK DECORATION				
Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
14"	6"	12½"	1	8 lbs.


No. 9016-735 BLACK DECORATION				
Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
16"	6"	14¼"	1	11 lbs.




# Commercial and Residential Decorated Glassware




No. 9006-735




No. 9007-735



No. 9001-735



No. 9009-735



No. 9010-735

## No. 9006-735 BLACK DECORATION REMOVABLE CRYSTAL BOTTOM

Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
6 3/8"	2 1/4"	6"	12	22 lbs.

## No. 9001-735 BLACK DECORATION

Fitter	Std. Pkg.	Weight Per Carton
2 1/4"	24	25 lbs.

## No. 9009-735 BLACK DECORATION

Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
8 1/2"	4"	7 1/4"	12	30 lbs.

## No. 9007-735 BLACK DECORATION


Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
6 3/8"	4"	6 1/4"	12	20 lbs.

## No. 9010-735 BLACK DECORATION


Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
10"	4"	9 1/4"	4	15 lbs.




# Commercial Opal Glassware



No. 9012



No. 9014



No. 9016


No. 9012 OPAL				
Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
12"	6"	10½"	2	15 lbs.

No. 9014 OPAL				
Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
14"	6"	12½"	2	16 lbs.


No. 9016 OPAL				
Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
16"	6"	14¼"	1	11 lbs.




# Commercial and Residential Opal Glassware




No. 9006




No. 9007



No. 9001



No. 9009



No. 9010

No. 9006 OPAL—REMOVABLE CRYSTAL BOTTOM				
Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
6 3/8"	2 1/4"	6"	12	20 lbs.

No. 9007 OPAL				
Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
6 3/8"	4"	6 1/4"	12	20 lbs.

No. 9001 OPAL	
Fitter	Std. Pkg.
2 1/4"	24

Weight Per Carton
25 lbs.

No. 9009 OPAL				
Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
8 1/2"	4"	7 1/4"	12	30 lbs.

No. 9010 OPAL				
Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
10"	4"	9 1/4"	4	15 lbs.



# ELECTRICAL TESTING LABORATORIES

NEW YORK, N. Y.

REPORT NO. 141612

ORDER NO. 65172-S

PLATE NO. 29731

## TEST OF LIGHTING GLASSWARE

NO. 4414 ENCLOSING GLOBES

Rendered to Erie Sales and Manufacturing Company

### Data Requested

Test in compliance with I.E.S. Standard Specifications for testing commercial lighting glassware.

### Selection

The selection of samples for this test was made at the plant of the Erie Sales and Manufacturing Company by Mr. H. D. Mall representing the Electrical Testing Laboratories. In compliance with the specifications a group of twenty-five samples were chosen at random from the lot of globes offered for inspection and weighed. This sampling represented fifteen per cent of the globes available. Of the twenty-five globes weighed, six samples representing the maximum, minimum and four of average weight were selected and forwarded to the Electrical Testing Laboratories for tests. This selection was a fair selection from the standpoint of appearance of the product examined.

<u>E.T.L. Identification No.</u>	<u>Weight of Globes Ounces</u>	<u>Per Cent Light Output Test in Accordance with Specifications</u>
7126	67	78.5
7127	65	79
7128	73	77.5
7129	57	81.5
7130	68	78
7131	68	78.5

Exceptions - None

Note: The results shown in this report are reproducible only when the conditions of test, particularly the light center position, are maintained in use.

Checked by: *MD*



# ELECTRICAL TESTING LABORATORIES

NEW YORK, N. Y.

REPORT NO. 141612

ORDER NO. 65172-S

PLATE NO 29731

## CANDLEPOWER DISTRIBUTION NO. 4414 ENCLOSING GLOBE\*

Tested in Compliance with Illuminating Engineering Society  
Standard Testing Specifications


Rendered to Erie Sales and Manufacturing Company

Globes - 162 Submitted; 25 Inspected and Weighed; 6 Tested. Weight of Test Sample - 65 oz.

Light output range 77.5 to 81.5%, Average 79%.

Lamp - 200 Watts;  
115 Volts; 3640  
Lumens; PS30  
Inside Frosted  
Gas-Filled Bulb;  
C-9 Filament;  
Medium Base;  
General Service.

Surface covering globe  
opening; reflection factor  
0.40.




LUMINAIRE DISTRIBUTION DATA					
MEAN VERTICAL					
MID-ZONE ANGLES	CANDLEPOWER AT 10 FEET	ZONAL LUMENS	MID-ZONE ANGLES	CANDLEPOWER AT 10 FEET	ZONAL LUMENS
180° HORIZ.	178		90° HORIZ.	189	
175°	170	16	85°	192	211
165°	183	52	75°	210	222
155°	196	91	65°	237	235
145°	202	127	55°	267	239
135°	209	162	45°	294	228
125°	210	188	35°	318	200
115°	205	203	25°	341	158
105°	194	205	15°	353	100
95°	188	205	5°	357	34
			0° NADIR	358	

LIGHT FLUX VALUES			
ZONE	LUMENS		PER CENT TOTAL LUMENS BARE LAMP
	LAMP	LUMINAIRE	
0°-60°	993	959	26.5
0°-90°	1852	1627	44.5
90°-180°	1788	1249	34.5
0°-180°	3640	2876	79

### LUMINAIRE BRIGHTNESS



CANDLEPOWER PER SQUARE INCH

THE ARROWS INDICATE THE LOCATION AND ANGLE OF VIEW

LOCATIONS	A	B	C	D	E	F	G	H	I	J	K	L	M
CP. PER SQ. IN.	1.4	2.2	2.5	2.6	4.2	1.5	4.4	3.5	2.5	4.4	2.1	3.7	2.5

TESTED BY *H.C.* PLOTTED BY *E.T.L.* IDENTIFICATION NO. 7127 COMPUTED BY *ju* CHECKED BY *ST* ISSUED June 22, 1937.


APPROVED BY

*William Smith*  
ENGINEER IN CHARGE OF PHOTOMETRY


*C. E. Horn*  
IN CHARGE OF TEST




# Commercial and Residential Decorated Glassware




No. 4447 - 674




No. 4412 - 674



No. 4448 - 674



No. 4414 - 674



No. 4416 - 674

## No. 4447-674 BLACK DECORATED

Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
8½"	4"	8"	12	35 lbs.

## No. 4412-674 BLACK DECORATED

Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
12"	6"	10¼"	1	5 lbs.

## No. 4448-674 BLACK DECORATED

Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
6⅜"	4"	6¼"	12	21 lbs.

## No. 4414-674 BLACK DECORATED


Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
14"	6"	11¼"	1	7 lbs.

## No. 4416-674 BLACK DECORATED

Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
16"	6"	12¾"	1	8½ lbs.



# Commercial and Residential Opal Glassware



No. 4447 OPAL

Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
8½"	4"	8"	12	35 lbs.

No. 4412 OPAL

Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
12"	6"	10¼"	4	20 lbs.

No. 4448 OPAL

Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
6⅜"	4"	6¼"	12	21 lbs.

No. 4414 OPAL

Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
14"	6"	11¼"	2	13 lbs.

No. 4416 OPAL

Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
16"	6"	12¾"	1	8½ lbs.



# ELECTRICAL TESTING LABORATORIES

NEW YORK, N. Y.

REPORT NO. 141613

ORDER NO. 65172-S

PLATE NO. 29732

## TEST OF LIGHTING GLASSWARE

NO.4464 ENCLOSING GLOBES

Rendered to Erie Sales and Manufacturing Company

### Data Requested

Test in compliance with I.E.S. Standard Specifications for testing commercial lighting glassware.

### Selection

The selection of samples for this test was made at the plant of the Erie Sales and Manufacturing Company by Mr. H. D. Mall representing the Electrical Testing Laboratories. In compliance with the specifications a group of twenty-five samples were chosen at random from the lot of globes offered for inspection and weighed. This sampling represented eighty-one per cent of the globes available. Of the twenty-five globes weighed, six samples representing the maximum, minimum and four of average weight were selected and forwarded to the Electrical Testing Laboratories for tests. This selection was a fair selection from the standpoint of appearance of the product examined.

<u>E.T.L. Identification No.</u>	<u>Weight of Globes Ounces</u>	<u>Per Cent Light Output Test in Accordance with Specifications</u>
7176	75	78
7177	88	80.5
7178	67	79.5
7179	74	78.5
7180	73	78
7181	74	82

Exceptions - None

Note: The results shown in this report are reproducible only when the conditions of test, particularly the light center position, are maintained in use.

Checked by: *mt*



# ELECTRICAL TESTING LABORATORIES

NEW YORK, N. Y.

REPORT NO. 141613

ORDER NO. 65172-S

PLATE NO 29732


## CANDLEPOWER DISTRIBUTION

NO. 4464 ENCLOSING GLOBE\*

Tested in Compliance with Illuminating Engineering Society  
Standard Testing Specifications

Rendered to Erie Sales and Manufacturing Company

Globes - 31 Submitted; 25 Inspected and  
Weighed; 6 Tested.  
Light output range 78 to 82%, Average 79.5%.  
Lamp-200 Watts; 115  
Volts; 3640 Lumens;  
PS30 Inside Frosted  
Gas-Filled Bulb;  
C-9 Filament;  
Medium Base;  
General Service.  
Surface covering  
globe opening,  
reflection factor  
0.40.  
Weight of Test Sample -  
4 lb 11 oz.



LUMINAIRE DISTRIBUTION DATA					
MEAN VERTICAL					
MID-ZONE ANGLES	CANDLEPOWER AT 10 FEET	ZONAL LUMENS	MID-ZONE ANGLES	CANDLEPOWER AT 10 FEET	ZONAL LUMENS
180° EN.	112		90° HOR.	116	
175°	126	12	85°	99.5	112
165°	152	44	75°	101	107
155°	252	122	65°	121	120
145°	407	251	55°	145	130
135°	393	304	45°	164	127
125°	389	349	35°	177	111
115°	381	378	25°	188	87
105°	346	359	15°	194	55
95°	179	208	5°	196	19
			0° RADIC.	196	
LIGHT FLUX VALUES					
ZONE	LUMENS		PER CENT TOTAL LUMENS BARE LAMP	PER CENT LIGHT OUTPUT	
	LAMP	LUMINAIRE			
0°-60°	993	529	14.5	79.5	
0°-90°	1852	868	24		
90°-180°	1788	2027	55.5		
0°-180°	3640	2895	79.5		

### LUMINAIRE BRIGHTNESS

CANDLEPOWER PER SQUARE INCH

THE ARROWS INDICATE THE LOCATION AND ANGLE OF VIEW


LOCATIONS	A	B	C	D	E	F	G	H	I	J	K	L	M
CP. PER SQ. IN.	0.9	1.6	1.4	10.5	2.4	0.6	2.5	2.0	1.1	2.5	1.3	2.3	2.5

TESTED BY *HSC* PLOTTED BY *me* \*E.T.L. Identification No. 7178 COMPUTED BY *me* CHECKED BY *me* ISSUED June 22, 1937.

APPROVED BY

*William F. Smith*  
ENGINEER IN CHARGE OF PHOTOMETRY

*C. E. Horn*  
IN CHARGE OF TEST





# Commercial and Residential Crystal Top Glassware



No. 4445



No. 4462



No. 4446



No. 4464



No. 4466

No. 4445

Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
8½"	4"	8"	12	35 lbs.

No. 4462

Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
12"	6"	10¼"	4	20 lbs.

No. 4446

Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
6⅜"	4"	6¼"	12	21 lbs.

No. 4464

Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
14"	6"	11¼"	2	13 lbs.

No. 4466

Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
16"	6"	12¾"	1	8½ lbs.



# Commercial and Residential Opal Glassware



No. 320				
Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
10"	4"	7 1/4"	8	22 lbs.

No. 312				
Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
12"	6"	7 11/16"	4	18 lbs.

No. 300				
Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
8 11/16"	4"	6 3/4"	12	28 lbs.

No. 314				
Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
14"	6"	8 3/4"	2	12 lbs.

No. 316				
Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
16"	6"	9 3/4"	1	8 lbs.



# Opal, Crystal Top and Bottom, and Ivory Decorated Glassware



No. 3445



No. 3447-682



No. 3445-3



No. 3447



No. 3447-1

## No. 3445 CRYSTAL TOP AND BOTTOM

Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
8½"	4"	7½"	12	35 lbs.

## No. 3447-682 IVORY GLASS DECORATED

Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
8½"	4"	7½"	12	35 lbs.

## No. 3445-3 CRYSTAL TOP AND BOTTOM WITH COLORED LINES

Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
8½"	4"	7½"	12	35 lbs.

## No. 3447 OPAL

Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
8½"	4"	7½"	12	35 lbs.

## No. 3447-1 OPAL WITH COLORED LINES

Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
8½"	4"	7½"	12	35 lbs.

NOTE.—For units with colored lines use the following decoration numbers:

- Decoration No. 1—Black Lines.
- Decoration No. 2—Green Lines.
- Decoration No. 3—Blue Lines.
- Decoration No. 4—Red Lines.



# Opal, Crystal Top and Bottom, and Ivory Decorated Glassware



No. 3446



No. 3448-682



No. 3446-3



No. 3448



No. 3448-1

## No. 3446 CRYSTAL TOP AND BOTTOM

Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
6 1/4"	4"	6 3/8"	12	21 lbs.

## No. 3448-682 IVORY GLASS DECORATED

Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
6 1/4"	4"	6 3/8"	12	21 lbs.

## No. 3446-3 CRYSTAL TOP AND BOTTOM WITH COLORED LINES

Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
6 1/4"	4"	6 3/8"	12	21 lbs.

## No. 3448 OPAL

Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
6 1/4"	4"	6 3/8"	12	21 lbs.

## No. 3448-1 OPAL WITH COLORED LINES

Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
6 1/4"	4"	6 3/8"	12	21 lbs.

NOTE.—For units with colored lines use the following decoration numbers:

- Decoration No. 3—Blue Lines.
- Decoration No. 4—Red Lines.
- Decoration No. 1—Black Lines.
- Decoration No. 2—Green Lines.



# Opal, Crystal Top and Bottom, and Ivory Decorated Glassware



No. 3450 CRYSTAL TOP—OPEN BOTTOM					No. 3450-1 CRYSTAL TOP—OPEN BOTTOM WITH COLORED LINES					No. 3449 OPAL—OPEN BOTTOM				
Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton	Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton	Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
6 $\frac{3}{8}$ "	2 $\frac{1}{4}$ "	5 $\frac{1}{4}$ "	12	20 lbs.	6 $\frac{3}{8}$ "	2 $\frac{1}{4}$ "	5 $\frac{1}{4}$ "	12	20 lbs.	6 $\frac{3}{8}$ "	2 $\frac{1}{4}$ "	5 $\frac{1}{4}$ "	12	20 lbs.
No. 3452-1 REMOVABLE CRYSTAL BOTTOM WITH COLORED LINES					No. 3452 REMOVABLE CRYSTAL BOTTOM					No. 3449-1 OPEN BOTTOM—WITH COLORED LINES				
Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton	Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton	Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
6 $\frac{3}{8}$ "	2 $\frac{1}{4}$ "	5 $\frac{3}{4}$ "	12	22 lbs.	6 $\frac{3}{8}$ "	2 $\frac{1}{4}$ "	5 $\frac{3}{4}$ "	12	22 lbs.	6 $\frac{3}{8}$ "	2 $\frac{1}{4}$ "	5 $\frac{1}{4}$ "	12	20 lbs.
No. 3452-682 IVORY GLASS DECORATED REMOVABLE CRYSTAL BOTTOM														
Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton										
6 $\frac{3}{8}$ "	2 $\frac{1}{4}$ "	5 $\frac{3}{4}$ "	12	22 lbs.										

NOTE.—For units with colored lines use the following decoration numbers:

Decoration No. 1—Black Lines.  
 Decoration No. 2—Green Lines.  
 Decoration No. 3—Blue Lines.  
 Decoration No. 4—Red Lines.



# Opal, Crystal Center and Bottom, and Ivory Decorated Glassware



No. 2445 CRYSTAL CENTER AND BOTTOM				
Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
8½"	4"	7"	12	35 lbs.

No. 2447-684 IVORY GLASS DECORATED				
Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
8½"	4"	7"	12	35 lbs.

No. 2445-3 CRYSTAL CENTER AND BOT- TOM WITH COLORED LINES				
Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
8½"	4"	7"	12	35 lbs.


No. 2447-1 OPAL WITH COLORED LINES				
Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
8½"	4"	7"	12	35 lbs.

No. 2447 OPAL				
Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
8½"	4"	7"	12	35 lbs.

NOTE.—For units with colored lines use the following decoration numbers:  
 Decoration No. 1—Black Lines.  
 Decoration No. 2—Green Lines.  
 Decoration No. 3—Blue Lines.  
 Decoration No. 4—Red Lines.



# Opal and Crystal Top and Bottom Glassware



No. 6445 CRYSTAL TOP AND BOTTOM				
Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
8½"	4"	7¾"	12	33 lbs.

No. 6447 OPAL				
Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
8½"	4"	7¾"	12	33 lbs.

No. 6448 OPAL				
Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
6½"	4"	6¼"	12	21 lbs.

No. 6452 OPAL—REMOVABLE CRYSTAL BOTTOM				
Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
6¾"	2¼"	6"	12	22 lbs.

No. 6452-1 OPAL—REMOVABLE CRYSTAL BOTTOM WITH COLORED LINES				
Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
6¾"	2¼"	5½"	12	22 lbs.

No. 1646 OPAL OR IVORY UPRIGHT SHADE				
Height	Fitter	Width	Std. Pkg.	Weight Per Carton
3¼"	1¾"	3½"	5 doz.	40 lbs.

No. 1636 OPAL OR IVORY UPRIGHT SHADE				
Height	Fitter	Width	Std. Pkg.	Weight Per Carton
3¼"	1¾"	3½"	5 doz.	40 lbs.

No. 6447-1 OPAL WITH COLORED LINES				
Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
8½"	4"	7¾"	12	33 lbs.

No. 6446 CRYSTAL TOP AND BOTTOM				
Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
6½"	4"	6¼"	12	21 lbs.

No. 6448-1 OPAL WITH COLORED LINES				
Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
6½"	4"	6¼"	12	21 lbs.

NOTE.—For units with colored lines use the following decoration numbers:

- Decoration No. 1—Black Lines.
- Decoration No. 2—Green Lines.
- Decoration No. 3—Blue Lines.
- Decoration No. 4—Red Lines.




# Modern Commercial Glassware



No. 1000



No. 1076-18



No. 1276-18



No. 974-18

No. 1000 OPAL 2-Pc. CRYSTAL BOTTOM				
Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
9 1/16"	6"	12 5/8"	8	47 lbs.

No. 1276-18 OPAL WITH BLACK DECORATION				
Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
12 1/2"	6"	10"	1	9 lbs.

No. 1276 OPAL				
Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
12 1/2"	6"	10"	1	9 lbs.

No. 1076-18 OPAL WITH BLACK DECORATION				
Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
10"	6"	16"	1	8 lbs.

No. 1076 OPAL				
Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
10"	6"	16"	1	8 lbs.

No. 974-18 OPAL WITH BLACK DECORATION				
Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
9"	4"	7 7/8"	8	26 lbs.

No. 974 OPAL				
Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
9"	4"	7 7/8"	8	26 lbs.



# Opal and Crystal Top Kitchen Glassware



No 5447



No. 5445



No. 5448



No. 5446

## No. 5447 OPAL

Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
8½"	4"	8"	12	35 lbs.

## No. 5445 CRYSTAL TOP

Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
8½"	4"	8"	12	35 lbs.

## No. 5448 OPAL

Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
6⅜"	4"	6¼"	12	21 lbs.

## No. 5446 CRYSTAL TOP

Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
6⅜"	4"	6¼"	12	21 lbs.



# Opal Crystal and Open Bottom Glassware



No. 5452



No. 5449



No. 4452



No. 4449

## No. 5452 REMOVABLE CRYSTAL BOTTOM

Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
7"	2 1/4"	6"	12	24 lbs.

## No. 5449 OPAL—OPEN BOTTOM

Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
7"	2 1/4"	5 3/8"	12	22 lbs.

## No. 4452 REMOVABLE CRYSTAL BOTTOM

Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
7"	2 1/4"	6 1/4"	12	24 lbs.

## No. 4449 OPAL—OPEN BOTTOM

Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
7"	2 1/4"	5 3/8"	12	22 lbs.



# Ivory Decorated Glassware



No. 5447-754



No. 5448-754



No. 5452-754



No. 5449-754



No. 4452-655



No. 4449-655

No. 5447-754				
Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
8½"	4"	8"	12	35 lbs.
No. 5452-754 REMOVABLE CRYSTAL BOTTOM				
Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
7"	2¼"	6"	12	24 lbs.
No. 4452-655 REMOVABLE CRYSTAL BOTTOM				
Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
7"	2¼"	6"	12	24 lbs.

No. 5448-754				
Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
6⅜"	4"	6¼"	12	21 lbs.
No. 5449-754				
Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
7"	2¼"	5⅜"	12	22 lbs.
No. 4449-655				
Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
7"	2¼"	5⅜"	12	22 lbs.



# Ivory Decorated Glassware



No. 4450-653



No. 4447-654



No. 4451-653



No. 4448-654

No. 4450-653

Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
8½"	4"	7⅞"	12	35 lbs.

No. 4447-654

Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
8½"	4"	7⅞"	12	35 lbs.

No. 4451-653

Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
6⅜"	4"	6"	12	21 lbs.

No. 4448-654

Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
6⅜"	4"	6"	12	21 lbs.



# Opal and Crystal Bottom Kitchen Glassware



No. 4450 OPAL					No. 4443 CRYSTAL BOTTOM				
Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton	Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
8½"	4"	7⅞"	12	35 lbs.	8½"	4"	8"	12	35 lbs.

No. 4444 CRYSTAL BOTTOM				
Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
6⅜"	4"	6"	12	21 lbs.

No. 4451 OPAL					No. 777 CRYSTAL BOTTOM				
Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton	Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
6⅜"	4"	6"	12	21 lbs.	8½"	4"	8"	12	30 lbs.



# Opal Commercial Glassware and Striped Units for Kitchen



No. 5608 8"  
No. 5609 9"  
No. 5610 10"  
No. 5612 12"  
No. 5614 14"  
No. 5616 16"



No. 1608 8"  
No. 1609 9"  
No. 1610 10"  
No. 1612 12"  
No. 1614 14"  
No. 1618 18"



No. 300-1 8 1/16"



No. 5608-1 8"  
No. 5609-1 9"



No. 1608-1 8"  
No. 1609-1 9"

No. 300-1 OPAL WITH COLORED LINES										
		Diam.	Fitter	Depth	Std. Pkg.	Weight Par Carton				
		8 11/16"	4"	6 3/4"	12	28 lbs.				
No.	Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton	No.	Diam.	Fitter	Depth	Weight Per Carton
5608	8"	4"	6 3/4"	12	28 lbs.	1608	8 1/2"	4"	6 3/4"	28 lbs.
5609	9"	4"	7"	12	30 lbs.	1609	9"	4"	7 1/4"	30 lbs.
5610	10"	4 or 6"	7 1/2"	8	22 lbs.	1610	10"	4 or 6"	8"	22 lbs.
5612	12"	4 or 6"	7 13/16"	4	18 lbs.	1612	12"	6"	9"	18 lbs.
5614	14"	6"	9 1/4"	2	14 lbs.	1614	14"	6"	10"	14 lbs.
5616	16"	6"	10"	1	8 lbs.	1618	18"	6"	18"	8 lbs.

NOTE.—For units with colored lines use the following decoration numbers:  
 Decoration No. 1—Black Lines.  
 Decoration No. 2—Green Lines.  
 Decoration No. 3—Blue Lines.  
 Decoration No. 4—Red Lines.



# Commercial and Residential Glassware



No. 1841




No. 1831



No. 506-6"  
No. 508-8"  
No. 510-10"



No. 1821



No. 608  
No. 610  
No. 612  
No. 614



No. 808-8"  
No. 810-10"  
No. 812-12"

No.	Diam.	Depth	Std. Pkg.	Weight Per Carton
1841	10"	3 1/8"	12 or 24	31 lbs. 62 lbs.

CRYSTAL ETCHED CUT GLASS BOWLS With 1/2" Bottom Hole unless otherwise specified.

506	6"	3"	36	33 lbs.
508	8"	3 1/4"	24	30 lbs.
510	10"	3 1/4"	16	32 lbs.

OPAL OR IVORY BOWLS WITH 7/16" BOTTOM HOLE

No.	Diam.	Depth	Std. Pkg.	Weight Per Carton
608	8"	3 1/8"	24	34 lbs.
610	10"	3 3/8"	16	32 lbs.
612	12"	3 7/8"	12	35 lbs.
614	14"	4 1/16"	6	28 lbs.

No.	Diam.	Depth	Std. Pkg.	Weight Per Carton
1831	10"	3 5/8"	12 or 24	28 lbs. 57 lbs.
1821	10 1/2"	4"	12 or 24	31 lbs. 62 lbs.

C. R. I. or OPAL LIP BOWLS

808	8"	4"	24	30 lbs.
810	10"	5"	16	32 lbs.
812	12"	6"	12	35 lbs.


NOTE.—Numbers 1841, 1831 and 1821 are all drilled with 3 holes for shot chain and are furnished in ETCHED CRYSTAL, PINK or GREEN. When ordering, please specify COLOR desired.



# Commercial and Residential Glassware



No. 706-723 6"  
No. 708-723 8"  
No. 710-723 10"  
No. 712-723 12"



No. 706 6"  
No. 708 8"  
No. 710 10"  
No. 712 12" } Dec. No.  
-1-4-6




Bottom View



Bottom View



No. 706 6"  
No. 708 8"  
No. 710 10"  
No. 712 12"  
No. 714 14"  
No. 716 16" } Opal  
or  
Ivory




No. 706-724 6"  
No. 708-724 8"  
No. 710-724 10"  
No. 712-724 12"

No.	Diam.	Depth	Std. Pkg.	Weight Per Carton	Decoration No.	Description of Decorations.
706	6"	3"	36	33 lbs.	1	BLACK LINES on OPAL or IVORY Base.
708	8"	3 1/4"	24	30 lbs.	4	RED LINES on OPAL or IVORY Base.
710	10"	3 1/4"	16	32 lbs.	6	PLATINUM LINES on OPAL or IVORY Base.
712	12"	3 1/2"	12	35 lbs.	723	FLORAL DECORATION on IVORY Base.
714	14"	4"	6	28 lbs.	724	IRIDESCENT, on OPAL or IVORY Base.
716	16"	4 1/8"	2	16 lbs.		Also furnished in plain OPAL or IVORY.

NOTE: Bowls illustrated have 7/16" drilled bottom hole and are furnished in OPAL and IVORY—also with DECORATIONS. When ordering DECORATED UNITS, please SPECIFY whether the DECORATION is wanted on OPAL or IVORY base. See DECORATIONS LISTED ABOVE.



# Glassware For Bathroom and Porch



No. 746 OPAL OR IVORY					
Std. Pkg.			Weight Per Carton		
5 doz.			14 lbs.		
No. 1726 FERLUX			No. 1826 FERLUX		
Std. Pkg.			Std. Pkg.		
Weight Per Carton			Weight Per Carton		
2 doz.			3 doz.		
58 lbs.			62 lbs.		
No. 363					
AMBER CRACKLED OR C.R.I.					
HEXAGON BLACK OR GREEN					
LINED PORCH GLOBE					
		Pkd. to		Wgt. of	
No.	Dia.	Fitter	a Ctn.	Ctn.	Pkd.
363	6"	3 1/4"	36	40	lbs.
No. 1926 FERLUX			No. 1736 FERLUX		
Std. Pkg.			Std. Pkg.		
Weight Per Carton			Weight Per Carton		
3 doz.			3 doz.		
45 lbs.			45 lbs.		

NOTE:—When ordering No. 363 please specify whether Amber Crackled or C. R. I. is wanted, and color of lines desired.



# Opal Kitchen Glassware



No. 344

Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
8½"	4"	7 15/16"	12	28 lbs.

No. 340

Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
8½"	4"	7⅞"	12	30 lbs.

No. 466

Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
9"	4"	7"	12	28 lbs.

No. 1394

Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
9"	4"	7½"	12	32 lbs.

No. 778

Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
8½"	4"	8"	12	30 lbs.



# Crystal Bottom Units



No. 4440



No. 4441



No. 444



No. 4442

No. 4440			
Diam.	Fitter	Std. Pkg.	Weight Per Carton
8½"	4"	12	35 lbs.

No. 444			
Diam.	Fitter	Std. Pkg.	Weight Per Carton
8½"	4"	12	35 lbs.

No. 4441			
Diam.	Fitter	Std. Pkg.	Weight Per Carton
6¾"	4"	12	21 lbs.

No. 4442			
Diam.	Fitter	Std. Pkg.	Weight Per Carton
8½"	4"	12	45 lbs.



# Better Light, Better Sight Shades



No. 3309



No. 3310 B  
No. 3410 B



No. 3306  
No. 3308



No. 3410 A  
No. 3310



No. 3410

No.	Diam.	Fitter	Depth	Std. Pkg.	Weight Per Carton
3306	6 $\frac{1}{4}$ "	2 $\frac{1}{4}$ "	5"	6	15 lbs.
3308	8"	2 $\frac{1}{4}$ "	5 $\frac{3}{8}$ "	6	15 lbs.
3309	9 $\frac{3}{8}$ "	2 $\frac{5}{8}$ "	6 $\frac{1}{2}$ "	6	17 lbs.
3310	10"	3 $\frac{1}{4}$ " with short shank	5 $\frac{3}{8}$ "	6	18 lbs.
3310B	10"	2 $\frac{5}{8}$ " with long shank	6 $\frac{3}{8}$ "	6	18 lbs.
3410	10"	2 $\frac{7}{8}$ " with slotted shank	6 $\frac{3}{8}$ "	6	18 lbs.
3410A	10"	2 $\frac{7}{8}$ " with short shank	5 $\frac{3}{8}$ "	6	18 lbs.
3410B	10"	2 $\frac{7}{8}$ " with long shank	5 $\frac{3}{8}$ "	6	18 lbs.



# Ivory Decorated Glassware



No. 366-581



No. 16308-583



No. 6915-556



No. 15915½-584

No. 366-581			
Diam.	Fitter	Std. Pkg.	Weight Per Carton
8"	2¼"	12	18 lbs.

No. 16308-583			
Diam.	Fitter	Std. Pkg.	Weight Per Carton
8½"	4"	12	24 lbs.

No. 6915-556			
Diam.	Fitter	Std. Pkg.	Weight Per Carton
4"	2¼"	36	15 lbs.


No. 15915½-584			
Diam.	Fitter	Std. Pkg.	Weight Per Carton
7½"	2¼"	12	18 lbs.



# Out Door Glassware



No. 83-G




No. 364



No. 73-G



No. 83-I



No. 62-G



No. 73-I

No. 83G C. R. I.			
Diam.	Fitter	Std. Pkg.	Weight Per Carton
6"	3 1/4"	24	37 lbs.

No. 364 AMBER			
Diam.	Fitter	Std. Pkg.	Weight Per Carton
6"	3 1/4"	24	36 lbs.

No. 73G C. R. I.			
Diam.	Fitter	Std. Pkg.	Weight Per Carton
6"	3 1/4"	24	35 lbs.

No. 365 ETCHED			
Diam.	Fitter	Std. Pkg.	Weight Per Carton
6"	3 1/4"	24	36 lbs.


No. 83-1 BLACK LINED			
Diam.	Fitter	Std. Pkg.	Weight Per Carton
6"	3 1/4"	24	37 lbs.

No. 62G C. R. I.			
Diam.	Fitter	Std. Pkg.	Weight Per Carton
6"	3 1/4"	24	36 lbs.

No. 73-1 BLACK LINED			
Diam.	Fitter	Std. Pkg.	Weight Per Carton
6"	3 1/4"	24	35 lbs.



# Staple Glassware



Weight				Weight				Weight			
Diam.	Fitter	Std. Pkg.	Per Carton	Diam.	Fitter	Std. Pkg.	Per Carton	Diam.	Fitter	Std. Pkg.	Per Carton
No. 2826 HALF SHADE				No. 786 HALF SHADE				No. 341 HALF SHADE			
2 1/4" 24 20 lbs.				2 1/4" 24 20 lbs.				2 1/4" 24 20 lbs.			
No. 796 HALF SHADE				No. 766 HALF SHADE				No. 62 OPAL			
2 1/4" 24 20 lbs.				2 1/4" 24 20 lbs.				6" 3 1/4" 12 14 lbs.			
No. 263				No. 700 HALF SHADE				No. 64 OPAL			
2 1/4" 36 34 lbs.				2 1/4" 24 20 lbs.				8" 4" 12 23 lbs.			
No. 12807				No. 206				No. 65 OPAL			
2 1/4" 54 59 lbs.				6" 2 1/4" 24 16 lbs.				10" 4, 5 or 6" 4 14 lbs.			
No. 12808				No. 207				No. 66 OPAL			
2 1/4" 30 45 lbs.				7" 2 1/4" 24 24 lbs.				12" 5 or 6" 1 7 lbs.			
No. 12809				No. 208				No. 67 OPAL			
2 1/4" 24 39 lbs.				8" 2 1/4" 24 25 lbs.				14" 6" 1 8 lbs.			
No. 12810				No. 756				No. 68 OPAL			
2 1/4" 24 57 lbs.				3" 1 11/16" 3 1/2" 48 15 lbs.				16" 6 or 8" 1 14 lbs.			



This List Supersedes All Previous Price Lists

# Numerical Index and Price List

COVERING CATALOGUE No. 8

Prices Subject to Change Without Notice

TERMS: 1-10 Net 30

F. O. B. FACTORY

Catalogue Number	Page	Description	List Price Each
62	34	Opal	\$.66
62G	33	C. R. I.	.48
64	34	Opal	1.05
65	34	Opal	1.90
66	34	Opal	3.15
67	34	Opal	4.41
68	34	Opal	5.98
73G	33	C. R. I.	.60
73-1	33	Black Lined	1.00
83G	33	C. R. I.	.60
83-1	33	Black Lined	1.00
206	34	Opal	.60
207	34	Opal	.87
208	34	Opal	.95
263	34	Opal	.63
300	13	Opal	.79
300-1	25	Lined	1.25
312	13	Opal	2.20
314	13	Opal	3.00
316	13	Opal	3.94
320	13	Opal	1.42
340	29	Opal	.95
341	34	Half Shade	.70
344	29	Opal	.95
363	28	Black Lined	1.12
364	33	Amber	.52
365	33	Etched	.52
366-581	32	Ivory Decorated	1.92
444	30	Crystal Bottom	1.58
466	29	Opal	.95
506	26	Cut Glass	Prices on Application
508	26	Cut Glass	Prices on Application
510	26	Cut Glass	Prices on Application
512	26	Cut Glass	Prices on Application
514	26	Cut Glass	Prices on Application
516	26	Cut Glass	Prices on Application
608	26	Opal	Prices on Application
608	26	Ivory	Prices on Application
610	26	Opal	Prices on Application
610	26	Ivory	Prices on Application
612	26	Opal	Prices on Application
612	26	Ivory	Prices on Application
614	26	Opal	Prices on Application
614	26	Ivory	Prices on Application
700	34	Half Shade	.70
706	27	Opal	Prices on Application
706-1	27	Opal Black Lined	Prices on App.
706-4	27	Opal Red Lined	Prices on App.
706-6	27	Opal Platinum Lined	Prices on App.
706-724	27	Opal Iridescent	Prices on App.
706	27	Ivory	Prices on Application
706-1	27	Ivory Black Lined	Prices on App.
706-4	27	Ivory Red Lined	Prices on App.
706-6	27	Ivory Platinum Lined	Prices on App.
706-723	27	Ivory Decorated	Prices on App.
706-724	27	Ivory Iridescent	Prices on App.
708	27	Opal	Prices on Application
708-1	27	Opal Black Lined	Prices on App.
708-4	27	Opal Red Lined	Prices on App.
708-6	27	Opal Platinum Lined	Prices on App.
708-724	27	Opal Iridescent	Prices on App.
708	27	Ivory	Prices on Application
708-1	27	Ivory Black Lined	Prices on App.
708-4	27	Ivory Red Lined	Prices on App.
708-6	27	Ivory Platinum Lined	Prices on App.
708-723	27	Ivory Decorated	Prices on Application

Catalogue Number	Page	Description	List Price Each
708-724	27	Ivory Iridescent	Prices on Application
710	27	Opal	Prices on Application
710-1	27	Opal Black Lined	Prices on App.
710-4	27	Opal Red Lined	Prices on App.
710-6	27	Opal Platinum Lined	Prices on App.
710-724	27	Opal Iridescent	Prices on Application
710	27	Ivory	Prices on Application
710-1	27	Ivory Black Lined	Prices on App.
710-4	27	Ivory Red Lined	Prices on App.
710-6	27	Ivory Platinum Lined	Prices on App.
710-723	27	Ivory Decorated	Prices on App.
710-724	27	Ivory Iridescent	Prices on App.
712	27	Opal	Prices on Application
712-1	27	Opal Black Lined	Prices on App.
712-4	27	Opal Red Lined	Prices on App.
712-6	27	Opal Platinum Lined	Prices on App.
712-724	27	Opal Iridescent	Prices on App.
712	27	Ivory	Prices on Application
712-1	27	Ivory Black Lined	Prices on App.
712-4	27	Ivory Red Lined	Prices on App.
712-6	27	Ivory Platinum Lined	Prices on App.
712-723	27	Ivory Decorated	Prices on App.
712-724	27	Ivory Iridescent	Prices on App.
714	27	Opal	Prices on Application
714	27	Ivory	Prices on Application
716	27	Opal	Prices on Application
716	27	Ivory	Prices on Application
746	28	Opal	Prices on Application
756	34	Upright Shade	Prices on Application
766	34	Half Shade	.70
777	24	Crystal Bottom	1.58
778	29	Opal	.95
786	34	Half Shade	.70
796	34	Half Shade	.70
808	26	Opal or C. R. I.	Prices on App.
810	26	Opal or C. R. I.	Prices on App.
812	26	Opal or C. R. I.	Prices on App.
974	19	White	1.58
974-18	19	Opal Decorated	2.52
1000	19	2-Piece Crystal Bottom	2.52
1076	19	White	5.90
1076-18	19	Opal Decorated	8.32
1276	19	White	4.00
1276-18	19	Opal Decorated	5.74
1394	29	Opal	1.05
1608	25	Opal	.79
1608-1	25	Lined	1.25
1609	25	Opal	.95
1609-1	25	Lined	1.50
1610	25	Opal	1.42
1612	25	Opal	2.20
1614	25	Opal	3.00
1618	25	Opal	6.62
1636	18	Opal Upright Shade	Prices on App.
1646	18	Opal Upright Shade	Prices on App.
1726	28	Opal	Prices on Application
1736	28	Opal	Prices on Application
1821	26	Pink, Green, Crystal	Prices on App.
1826	28	Opal	Prices on Application
1831	26	Pink, Green, Crystal	Prices on App.
1841	26	Pink, Green, Crystal	Prices on App.
1926	28	Opal	Prices on Application
2445	17	Crystal Bottom	1.58
2445-1	17	Crystal Bottom Black Line	1.90
2445-2	17	Crystal Bottom Green Line	1.90
2445-3	17	Crystal Bottom Blue Line	1.90

FOR IVORY GLASS ADD 10% TO LIST PRICE OF OPAL



# NUMERICAL INDEX AND PRICE LIST

Catalogue Number	Page	Description	List Price Each
2445-4	17	Crystal Bottom Red Line	1.90
2447	17	Opal	.95
2447-1	17	Opal Black Line	1.39
2447-2	17	Opal Green Line	1.39
2447-3	17	Opal Blue Line	1.39
2447-4	17	Opal Red Line	1.39
2447-684	17	Ivory Decorated	1.73
2826	34	Half Shade	.70
3306	31	Opal	.63
3308	31	Opal	.99
3309	31	Opal	1.38
3310	31	Opal	1.58
3310-B	31	Opal	1.58
3410	31	Opal	1.58
3410-A	31	Opal	1.58
3410-B	31	Opal	1.58
3445	14	Crystal Top	1.58
3445-1	14	Crystal Top Black Line	1.90
3445-2	14	Crystal Top Green Line	1.90
3445-3	14	Crystal Top Blue Line	1.90
3445-4	14	Crystal Top Red Line	1.90
3446	15	Crystal Top	1.17
3446-1	15	Crystal Top Black Line	1.55
3446-2	15	Crystal Top Green Line	1.55
3446-3	15	Crystal Top Blue Line	1.55
3446-4	15	Crystal Top Red Line	1.55
3447	14	Opal	.95
3447-1	14	Opal Black Line	1.39
3447-2	14	Opal Green Line	1.39
3447-3	14	Opal Blue Line	1.39
3447-4	14	Opal Red Line	1.39
3447-682	14	Ivory Decorated	1.73
3448	15	Opal	.75
3448-1	15	Opal Black Line	1.12
3448-2	15	Opal Green Line	1.12
3448-3	15	Opal Blue Line	1.12
3448-4	15	Opal Red Line	1.12
3448-682	15	Ivory Decorated	1.42
3449	16	Opal Open Bottom	1.05
3449-1	16	Opal Black Line	1.32
3449-2	16	Opal Green Line	1.32
3449-3	16	Opal Blue Line	1.32
3449-4	16	Opal Red Line	1.32
3450	16	Crystal Top Open Bottom	1.39
3450-1	16	Crystal Top, Open Bottom, Black Lined	1.42
3450-2	16	Crystal Top, Open Bottom, Green Line	1.42
3450-3	16	Crystal Top, Open Bottom, Blue Line	1.42
3450-4	16	Crystal Top, Open Bottom, Red Line	1.42
3452	16	Opal Crystal Bottom	1.25
3452-1	16	Opal Crystal Bottom, Black Line	1.58
3452-2	16	Opal Crystal Bottom, Green Line	1.58
3452-3	16	Opal Crystal Bottom, Blue Line	1.58
3452-4	16	Opal Crystal Bottom, Red Line	1.58
3452-682	16	Ivory Decorated	1.81
4412	9	Opal	2.52
4412-674	8	Black Decorated	3.94
4414	9	Opal	3.37
4414-674	8	Black Decorated	5.50
4416	9	Opal	4.38
4416-674	8	Black Decorated	7.09
4440	30	Crystal Bottom	1.58
4441	30	Crystal Bottom	1.17
4442	30	Crystal Bottom	1.58
4443	24	Crystal Bottom	1.58
4444	24	Crystal Bottom	1.17
4445	12	Crystal Top	1.58
4446	12	Crystal Top	1.17
4447	9	Opal	.95
4447-654	23	Ivory Decorated	1.73

Catalogue Number	Page	Description	List Price Each
4447-674	8	Black Decorated	1.58
4448	9	Opal	.75
4448-654	23	Ivory Decorated	1.42
4448-674	8	Black Decorated	1.31
4449	21	Opal	1.05
4449-655	22	Ivory Decorated	1.58
4450	24	Opal	.95
4450-653	23	Ivory Decorated	1.73
4451	24	Opal	.75
4451-653	23	Ivory Decorated	1.42
4452	21	Crystal Bottom	1.25
4452-655	22	Ivory Decorated	1.73
4462	12	Crystal Top	3.94
4464	12	Crystal Top	5.50
4466	12	Crystal Top	6.46
5445	20	Crystal Top	1.58
5446	20	Crystal Top	1.17
5447	20	Opal	.95
5447-754	22	Ivory Decorated	1.73
5448	20	Opal	.75
5448-754	22	Ivory Decorated	1.42
5449	21	Opal	1.05
5449-754	22	Ivory Decorated	1.58
5452	21	Crystal Bottom	1.25
5452-754	22	Ivory Decorated	1.73
5608	25	Opal	.79
5608-1	25	Lined	1.25
5609	25	Opal	.95
5609-1	25	Lined	1.50
5610	25	Opal	1.42
5612	25	Opal	2.20
5614	25	Opal	3.00
5616	25	Opal	3.94
6445	18	Crystal Top and Bottom	1.58
6446	18	Crystal Top and Bottom	1.17
6447	18	Opal	.95
6447-1	18	Opal Black Line	1.38
6447-2	18	Opal Green Line	1.38
6447-3	18	Opal Blue Line	1.38
6447-4	18	Opal Red Line	1.38
6448	18	Opal	.75
6448-1	18	Opal Black Line	1.12
6448-2	18	Opal Green Line	1.12
6448-3	18	Opal Blue Line	1.12
6448-4	18	Opal Red Line	1.12
6452	18	Opal with Crystal Bottom	1.25
6452-1	18	Opal with Crystal Bottom, Black Line	1.58
6452-2	18	Opal with Crystal Bottom, Green Line	1.58
6452-3	18	Opal with Crystal Bottom, Blue Line	1.58
6452-4	18	Opal with Crystal Bottom, Red Line	1.58
6915-556	32	Ivory Decorated	.79
9001	5	Opal Half Shade	.70
9001-735	3	Black Decorated	1.10
9006	5	Opal with Crystal Bottom	1.42
9006-735	3	Black Decorated	1.90
9007	5	Opal	.83
9007-735	3	Black Decorated	1.42
9009	5	Opal	1.00
9009-735	3	Black Decorated	1.73
9010	5	Opal	1.73
9010-735	3	Black Decorated	3.77
9012	4	Opal	2.96
9012-735	2	Black Decorated	4.72
9014	4	Opal	3.81
9014-735	2	Black Decorated	6.30
9016	4	Opal	5.61
9016-735	2	Black Decorated	9.45
12807	34	Opal	.79
12808	34	Opal	1.08
12809	34	Opal	1.25
12810	34	Opal	1.47
15915½D584	32	Ivory Decorated	1.25
16308D583	32	Ivory Decorated	1.25







